



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/665,976	09/19/2003	Peter J. Barry	10559-849001 /INTEL P1687	5368
20985	7590	08/10/2006	EXAMINER WALTER, CRAIG E	
FISH & RICHARDSON, PC P.O. BOX 1022 MINNEAPOLIS, MN 55440-1022			ART UNIT 2188	PAPER NUMBER

DATE MAILED: 08/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/665,976	BARRY ET AL.	
	Examiner	Art Unit	
	Craig E. Walter	2188	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 June 2006.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-50 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-50 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 19 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7 June 2006 has been entered.

Status of Claims

2. Claims 1-50 are pending in the Application.
- Claims 1-10, 12-21, 23-31, 34-36, 39-41, and 43-50 are amended.
- Claims 1-50 are rejected.

Response to Amendment

3. Applicant's arguments with respect to claims 1-50 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 2188

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-3, 5, 7-8, 10-11, 13-14, 16, 18-19, 21-22, 24-26, 39-40, 42-44, and 46-49 are rejected under 35 U.S.C. 102(e) as being anticipated by Qureshi et al. (US PG Publication 2004/0030856 A1), hereinafter Qureshi.

As for claims 1, 13, and 47, Qureshi teaches a method comprising:

from at least two types of endian conversion each of which can be performed on a portion of data (page) stored within a memory system, determining a type (two types of conversion may be performed on the data by remapping the most significant and least significant bits (i.e. big-to-little, or little-to-big) - paragraphs 0004 and 0005, all lines. The determination for swapping occurs via the indicator stored in the endian selection register which is based on the determination the OS type) — see also Fig. 6 (step 607 discloses little endian conversion, and step 609 discloses big endian conversion – paragraphs 0022 and 0023, all lines); and

writing an entry to a memory management table based on the determining (based on the determination of what type of conversion can be performed based on the OS type, the endian selection register is written to designate which type of swapping is required - paragraphs 0022 and 0023, all lines).

As for claims 7 and 18, Qureshi teaches a method (and product) comprising:

maintaining a memory management table that includes one or more entries, each entry defining a location of a portion of data stored within a memory system and indicating a type determined from at least two types of endian conversion each of which can be performed on the portion of data (referring to Fig. 5 and paragraph 0018, all lines, the system event registers (SER) comprise information which stores both what type of endian conversion can be performed (stored in the endian selection register), and address decode logic to define the location of the data itself. As discussed in the rejection of claim 1, Fig. 6 defines the process of setting the register to determine which conversion can be performed, and how each of the two conversion types are actually carried out – paragraphs 0022-0023, all lines).

As for claim 24, Qureshi teaches a memory management table residing in computer memory comprising:

one or more table entries, with each table entry having a first field for defining the location of a portion of data stored within a memory system and a second field for defining a type determined from at least two types of endian conversion each of which can be performed on the portion of data (referring to Fig. 5, and paragraph 0018, all lines; the type of conversion, as well as the location of the data that corresponds to the type of conversion are stored as separate fields in the system event registers to allow the system to access, and swap the necessary data).

As for claims 39 and 43, Lasserre teaches a method (and product) comprising:

accessing a table entry of a memory management table, wherein the table entry is associated with a portion of data stored within a memory system and includes a conversion-type indicator (Fig. 5, paragraph 0018, all lines - the endian selection register (storing the conversion indicator) is accessed to perform the appropriate endian conversion); and

from at least two types of endian conversion each of which can be performed on the portion of data, determining a type based on the conversion-type indicator (as discussed in the rejection of claim 1 presented *supra*).

As for claims 5, 10, 16, 21, 25, 42 and 46, Qureshi teaches the entry as including a single bit for specifying one of two types of endian conversion (paragraph 0004, all lines).

As for claims 2 and 48, Qureshi teaches writing an entry to a memory management table as further including specifying the location of the portion of data within the memory system (paragraph 0018, all lines- the SER stores data indicating the location of the data to be converted).

As for claims 3, 8, 14, 19, 26, 40, 44 and 49, Qureshi discloses the at least two types of endian conversion as including a data coherent conversion type (Fig. 6 illustrates the conversion as occurring by swapping the least and most significant bytes. Byte swapping is the same procedure as data coherent type conversion as both aim to reverse the order of the bytes within a word in order to convert from big/little endian formats).

As for claims 11 and 22, Qureshi teaches the portion of the data as being stored at a physical memory address within the memory system (paragraph 0018, all lines – the data is obtained via the physical address which is accomplished via the selection signal in the SER).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 6, 12, 17, 23, 28, 29-30, 32-35, and 37-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Qureshi (US PG Publication 2004/0030856 A1) as applied to claims 1, 7, 13, 18, 24, in further view of Lasserre et al., (US PG Publication 2002/0069339 A1) hereinafter Lasserre.

As for claims 29 and 34, Qureshi teaches a system (and architecture) comprising:

an endian converter for converting portions of data from the first endian format to the second endian format (paragraphs 0022-0023, all lines – the system is capable of performing either a big or little endian conversion based on the information stored in the register); and

a memory management table including one or more entries, with each entry defining a location for a portion of data to be converted from the first endian format to the second endian format, and indicating a type determined from at least two types of endian conversion each of which can be performed on the portion of data by the endian converter (referring to Fig. 5, and paragraph 0018, all lines; the type of conversion, as well as the location of the data that corresponds to the type of conversion are stored as separate fields in the system event registers to allow the system to access, and swap the necessary data).

Despite these teachings Qureshi fails to teach the remaining limitations of these claims.

Lasserre does in fact teach the remaining limitations, including:

a networking device (Fig. 8 illustrates the system as being implemented on a wireless networking device – paragraph 0083, all lines), including:

a first processor for processing data in a first endian format (Fig. 4, element 402 – little endian processor);

a second processor for processing data in a second endian format (Fig. 4, element 400, big endian processor);

a bus for interconnecting the first and second processors (paragraph 0065, lines 1-8 - both processors are wired to a data bus);

As for claims 6, 17, and 28, Lasserre teaches mapping a virtual memory address to a physical memory address (paragraph 0060, lines 1-3, each entry in the TLB maps a physical address with every corresponding virtual address).

As for claims 12 and 23, Lasserre teaches the entry as mapping the physical address at which the portion of data is stored to a virtual address accessible by a processor (paragraph 0060, lines 1-3, each entry in the TLB maps a physical address with every corresponding virtual address. The processor is able to access the addresses via the TLB as further described in paragraph 0029, line 1 through paragraph 30, line 8 – The TLB contains entries for virtual-to-physical address translation which is accessible by the MMU containing the processor core/s).

As for claims 32 and 37, Lasserre teaches the first processor as being a little-endian processor (Fig. 4, element 402 – paragraph 0065, lines 1-2).

As for claims 33 and 38, Lasserre teaches the second processor as being a big-endian processor (Fig. 4, element 400 – paragraph 0065, lines 1-2).

It would have been obvious to one of ordinary skill in the art at the time of the invention for Qureshi to further include Lasserre's system with MMU descriptor having a big/little end bit to control the transfer of data between devices into his own system and method for operating in endian independent mode. By doing so, Qureshi would be able to exploit the benefit of utilizing more than one processor (including a DSP for example) which could greatly improve the performance of his system as taught by Lasserre in paragraph 0004, all lines.

As for claims 30 and 35, Qureshi discloses the at least two types of endian conversion as including a data coherent conversion type (Fig. 6 illustrates the conversion as occurring by swapping the least and most significant bytes. Byte swapping is the same procedure as data coherent type conversion as both aim to

reverse the order of the bytes within a word in order to convert from big/little endian formats).

6. Claims 4, 9, 15, 20, 27, 41, 45, and 50 are rejected under 35 U.S.C. 103(a) as being unpatentable over the Qureshi (US PG Publication 2004/0030856 A1) as applied to claims 1, 7, 13, 18, 24, 39, 43, and 47, and in further view of Ikumi (US Patent 5,630,084).

As for claims 4, 9, 15, 20, 27, 41, 45, and 50, the Qureshi fails to teach endian conversion as being address coherent. Ikumi however teaches a system for converting data in little endian to big endian and vice versa by reversing two bits of address referencing one word of four words. In his disclosure, Ikumi teaches reversing the bits of the byte address in order to convert data from big-little (and vice versa) endian format (col. 4, lines 9-21 – Also referring to Fig. 6, byte address reversal is disclosed). Note Ikumi's system of address reversal for endian conversion is the same as the "address coherent conversion" as shown in Table 1, page 3 of Applicant's specification. It would have been obvious to one of ordinary skill in the art at the time of the invention for Qureshi to utilize Ikumi's system of endian conversion through address conversion, in addition to his byte swapping endian conversion method. By doing so, Qureshi would be able to exploit the benefits of using an additional form of endian conversion (i.e. address coherent), which overcomes the draw backs of traditional byte swapping (switching) method which severely complicates operational control during processing of the data (Ikumi – col. 2 – lines 38-46). Ikumi further discusses how the address

coherent method overcomes drawbacks of the swapping method in col. 2, lines 48-62 of his disclosure (i.e. operational control of the data processing is markedly improved).

7. Claims 31 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combined teachings of Qureshi (US PG Publication 2004/0030856 A1), and Lasserre (US PG Publication 2002/0069339 A1) as applied to claims 29 and 34, and in further view of Ikumi (US Patent 5,630,084).

As for claims 31 and 36, the combined teachings of Qureshi and Lasserre fail to teach endian conversion as being address coherent. Ikumi however teaches a system for converting data in little endian to big endian and vice versa by reversing two bits of address referencing one word of four words. In his disclosure, Ikumi teaches reversing the bits of the byte address in order to convert data from big-little (and vice versa) endian format (col. 4, lines 9-21 – Also referring to Fig. 6, byte address reversal is disclosed). Note Ikumi's system of address reversal for endian conversion is the same as the "address coherent conversion" as shown in Table 1, page 3 of Applicant's specification.

It would have been obvious to one of ordinary skill in the art at the time of the invention for Qureshi to utilize Ikumi's system of endian conversion through address conversion, in addition to his byte swapping endian conversion method. By doing so, Qureshi would be able to exploit the benefits of using an additional form of endian conversion (i.e. address coherent) which overcomes the draw backs of traditional byte swapping (switching) method which severely complicates operational control during processing of the data (Ikumi – col. 2 – lines 38-46). Ikumi further discusses how the

Art Unit: 2188

address coherent method overcomes drawbacks of the swapping method in col. 2, lines 48-62 of his disclosure (i.e. operational control of the data processing is markedly improved).


Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig E. Walter whose telephone number is (571) 272-8154. The examiner can normally be reached on 8:30a - 5:00p M-F.


9. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mano Padmanabhan can be reached on (571) 272-4210. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2188

10. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Craig E Walter
Examiner
Art Unit 2188

CEW


8/6/06